

GROUND PROTECTION PLATES



**Temporary Walkways
and
Trackway
Outrigger Pads**



TEMPORARY ACCESS ROAD PANELS

GROUND PROTECTION PLATES AND OUTRIGGER PADS



GT Trax Limited is a UK company, formed early in 2005, and is the sole UK distributor of **GWV-PRO** ground protection plates and crane outrigger pads.

The pads and plates manufactured from durable and **lightweight recycled PE/PP plastic** and are extremely hardwearing and very versatile.

For example the 3000x1000x20mm plate **weighs only 56kg.**

Owners can have their company name and **details permanently engraved** on each plate for security and promotional purposes and handles can be inserted for easy handling.

They will not rot or rust and they are **chemical and water resistant**

They are available in a variety of sizes.

A **nationwide hire and sales service** is provided, together with an installation and removal facility.



The unique interlocking **WALKOVER**

A simple, fully interlocking, compact flooring system, very hardwearing and with an anti-slip top layer.

Manufactured from recycled PVC.

Soft PVC top surface and uniquely designed structure underneath to avoid the accumulation of dirt.





Protective Road Plates

Light/Medium Weight Loads

PP /PE Protective Road Plates

Light -Medium weight loads < 12t

3000 x 500 x 20 mm RP	352	28 kg.
3000 x 1000 x 20 mm RP	312	56 kg.
3000 x 500 x 15 mm FW	3515	21 kg.
3000 x 750 x 15 mm FW	3715	32 kg.
3000 x 1500 x 15 mm FW	3115	64 kg.

Heavy Weight Loads

2000 x 800 x 15mm AR	2000	23 kg
3000 x 500 x 20mm HM	3520	21 kg
3000 x1000 x 15 mm HM	3115	43 kg
3000 x1000 x 20mm HM	3120	56 kg
4000 x1000 x 15mm HM	4115	57 kg
4000 x1000 x 20mm HM	4120	76 kg
5000 x1000 x 15mm HM	5115	71 kg
5000 x 1000x 20mm HM	5120	95 kg
6000 x 1000x 15mm HM	6115	85 kg
6000 x 1000x 20mm HM	6120	114kg

Options

Handles 2/4

Handles incl. name or logo

Logo design



Outrigger/ Positioning Pads *including nylon cord*

Standard Sizes	Article No.	Weight	Weight Load
400x400x40 mm	SP 444	6.1 kg.	10.000 kg
500x500x40 mm	SP 554	9.4 kg.	15.000 kg
600x600x40 mm	SP 664	13.5 kg.	20.000 kg
800x800x40 mm	SP 884	24.3 kg	25.000 kg
900x900x40 mm	SP 994	30.8 kg.	30.000 kg
1000x1000x40 mm	SP 114	35.0 kg.	35.000 kg

Round

Ø 400 x 60 mm RP	46	7.2 kg.	20.000 kg
Ø 800 x 60 mm RP	86	28.6 kg.	30.000 kg
Ø 900 x 60 mm RP	96	36.2 kg.	25.000 kg
Ø 1000 x 60 mm RP	16	44.7 kg.	30.000 kg

Other sizes: upon request

Possible Uses

- > Construction and Building Sites
- > **Outside Events**
- > Landscapers
- > **Utility Contractors**
- > Groundwork Contracts
- > **Pipe Layers**
- > Showgrounds
- > **Sports Stadiums**
- > Stables
- > **Market Traders**
- > Car Boot Sales
- > **Fairgrounds**
- > Motor Racing Circuits
- > **Racecourses**
- > Cranes
- > **Powered Access**
- > Lorry & Truck Fleets
- > **Factories**
- > Exhibitions
- > **Traffic & Temporary Car Parks**
- > Shopfitting Contracts